

Sportage Hybrid MY24 - Mechanical & Feature List

Engine Page	Engine	1.6L Turbo Petrol Hybrid	
Casarbo CC			
Max Proce (Min & PRM) 12.0 5,000 Non x Store (Min & 75.5 x 88			
Max. Total Publish BITRS 19.56 - 1.500 1.500			
Bers 85 Nove (mm) 7.5 % 89 10.64 Startins Nation 10.64 10.64 Startins Nation 10.64 10.64 10.65 Startins Nation 10.64 10.65 10.65 Startins Nation 10.65 10.65 10.65 Mois Taper 10.05 10.65 10.65 Mois Taper 10.07 10.65 10.65 Mois Taper 10.05 10.65 10.65 Mois Coursepter 10.05 10.65 10.65 Mois Mois Course 10.05 10.65 10.65 Mois Mois Mois Mois Mois Mois Mois Mois			
Companies Nation 10.5.1	·		
Motic Type			
Mystor M			
Max. Devel (NV 0) FIND	**		
Max. Transp. 1894			
Centh Incident System Output 1.6.8 Lives Petrol Hybrid Max. Torque (Nm) 360 Battery Cult. Turbo Petrol Hybrid Saffery (Yve) Unit Turbo Petrol Hybrid Votlage (V) 270 Capacity (Ab) 5.5 Energy (AbY) 1.49 Battery (Yeg) 1.49 Energy (AbY) 1.49 Battery (Yeg) 1.40 Battery (Ye			
Max. Tarque (Min) 3390 1.6.1 turb Parter I Hybrid 1.6.1 turb Parte			
Matterly Martin Matter			
	* *		
Nortinger (V)			
Capachy (Ab)			
Entropy (KNTh)			
Battery Weight (bg)			
Battery Position	Energy (kWh)	1.49	
Transmission Type	Battery Weight (kg)	37.5	
Transmission Type	Battery Position		
Driven Wheels	Transmission	1.6L Turbo Petrol Hybrid	
Dimensions	Transmission Type	6 Speed Automatic	
Luggage Space (Rear Seats Day) (L, VDA) 1,877 Luggage Space (Rear Seats Down) (L, VDA) 1,877 Wheelbase (Imm) 2,775 Minimum Ground Clearance (mm) 181 Overall Length (mm) 4,660 Overall Height with Roofrails (mm) 1,685 Overall Height with Roofrails (mm) 1,680 Fuel 1,61 Tutos Petrol Hybrid Fuel Consumption (L/100km) - Combined ⁵ 4,9 Fuel Consumption (L/100km) - Combined ⁵ 4,9 Fuel Consumption (L/100km) - Combined ⁵ 4,9 Fuel Consumption (L/100km) - Combined ⁵ 110 Co, Emission (g/km) - Combined ⁵ 110 Co, Emission (g/km) - Combined ⁵ 111 Co, Emission (g/km) - Extra-Uthon ⁵ 111 Bonnet Insulator 6 Fuel Tay Recommended Regular Unleaded ⁷ Fuel Tay Recommended 1,52 Kerb Weight (kg) 1,738 Tare Weight (kg) 1,737 Tare Weight (kg) 1,737 Tare Weight (kg) 1,50 Towing Capacity Unbraked (kg) 5 Towing Cap	Driven Wheels	2WD (Front Wheel Drive)	
Luggage Space (Rear Seats Down) (I, VDA) 1.872	Dimensions	5 Door SUV	
Wheelbase (mm) 2,755 Minimum Ground Clearance (mm) 181 Overall Height (mm) 4,660 Overall Width (mm) 1,865 Overall Height with Roofrals (mm) 1,665 1,680 Fuel 1,651 1,680 Fuel Consumption (L/100km) - Combined* 4.9 4.9 Fuel Consumption (L/100km) - Urban* 4.8 4.9 Cop, Emission (g/km) - Estra-Urban* 4.9 4.9 Cop, Emission (g/km) - Estra-Urban* 4.9 4.9 Cop, Emission (g/km) - Estra-Urban* 4.9 4.9 Cop, Emission (g/km) - Estra-Urban* 1.0 4.9 Cop, Emission (g/km) - Estra-Urban* 1.0 4.9 Cop, Emission (g/km) - Estra-Urban* 1.11 1.0 Cop, Emission (g/km) - Estra-Urban* 1.11 1.0 Cop, Emission (g/km) - Estra-Urban* 1.11 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	Luggage Space (Rear Seats Up) (L, VDA)	586	
Minimum Ground Clearance (mm)	Luggage Space (Rear Seats Down) (L, VDA)	1,872	
Overall Length (mm) 4,665 Overall Width (mm) 1,685 Overall Width (mm) 1,685 1,680 Fuel 1,61 Turbor Pertrol Hybrid Fuel 1,61 Turbor Pertrol Hybrid Fuel Consumption (L/100km) - Urban² 4.9 Fuel Consumption (L/100km) - Extra-Urban² 4.9 Cop_Emission (g/km) - Extra-Urban² 4.9 Cop_Emission (g/km) - Extra-Urban² 110 Cop_Emission (g/km) - Extra-Urban² 111 Bonnel Insulator 111 Fuel Type Recommended Regular Unleaded² Fuel Type Recommended Regular Unleaded² Fuel Tank Capacity (L) 52 Weight 1,738 Tare Weight (kg) 1,738 Gross Vehicle Mass (kg) 1,738 Towing Capacity (L) 1,650 Towing Capacity (L) Observed Hybrid 1,650 Towing Capacity (L) Observed Hybrid 1,650 Max. Toward (Kg) 750 Towing Capacity (L) Observed Hybrid 1,650 Max. Toward (Kg) 1,650 Max. Toward (Kg) 1,650	Wheelbase (mm)	2,755	
Overall Width (mm) 1,865 1,680 Fuel 1,665 1,680 Fuel 1,61 Turbo Petrol Hybrid Fuel Consumption (L/100km) - Combined¹ 4,9 Fuel Consumption (L/100km) - Urban² 4,8 Fuel Consumption (L/100km) - Urban² 4,9 Co, Emission (g/km) - Combined² 4,9 Co, Emission (g/km) - Combined² 110 Co, Emission (g/km) - Wiban² 108 Co, Emission (g/km) - Wiban² 108 Some Instalator 111 Bonnel Instalator 2 Fuel Tank Capacity (L) 52 Weight 1,61 Turbo Petrol Hybrid Kerb Weight (kg) 1,738 Tare Weight (kg) 1,738 Tare Weight (kg) 1,738 Towing Capacity? 1,61 Turbo Petrol Hybrid Towing Capacity Praked (kg) 750 Towing Capacity Praked (kg) 1,65 Max 1,61 Turbo Petrol Hybrid SX - GT-Line - Steering, Brakes & Suspension X GT-Line St	Minimum Ground Clearance (mm)	181	
Fuel 1,665 1,680 Fuel 1,61 Turbo Petrol Hybrid Fuel Consumption (L/100km) - Combined³ 4,9 Fuel Consumption (L/100km) - Urban³ 4,8 Fuel Consumption (L/100km) - Extra-Urban³ 4,9 Co, Emission (g/km) - Combined³ 110 Co, Emission (g/km) - Extra-Urban³ 108 Co, Emission (g/km) - Extra-Urban³ 111 Bonnel Insulator € Fuel Type Recommended Regular Unleaded¹ Fuel Type Recommended 52 Weight 1,707 Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity (b) 750	Overall Length (mm)	4,660	
Fuel 1.6L Turbo Petrol Hybrid Fuel Consumption (L/100km) - Ombined® 4,9 Fuel Consumption (L/100km) - Extra-Urban® 4,9 Co, Emission (g/km) - Combined® 110 Co, Emission (g/km) - Combined® 108 Co, Emission (g/km) - Urban® 108 Co, Emission (g/km) - Extra-Urban® 111 Bonnel Insulator • Fuel Tank Capacity (L) 52 Weight 1,6L Turbo Petrol Hybrid Kerb Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity (In Extra Graph (kg) 1,6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Unbraked (kg) 100 Max. Towball Download (kg) 100 Model Variant 1,6L Turbo Petrol Hybrid SX • GT-Line • Steering, Brakes & Suspension SX GT-Line Steering, Brakes & Suspension 3 Modes - Eco, Sport, Smart Drive Mode Select System 3 Modes - Eco, Sport, Smart Till	Overall Width (mm)	1,865	
Fuel Consumption (L/100km) - Combined* 4.9 Fuel Consumption (L/100km) - Urban* 4.8 Fuel Consumption (L/100km) - Extra-Urban* 4.9 Co, Emission (g/km) - Combined* 110 Co, Emission (g/km) - Urban* 108 Co, Emission (g/km) - Extra-Urban* 108 Co, Emission (g/km) - Extra-Urban* 111 Bonnet Insulator • Fuel Type Recommended Regular Unleaded* Fuel Tank Capacity (L) 5.2 Weight 1.8L Turbo Pertol Hybrid Kerb Weight (kg) 1.728 Tare Weight (kg) 1.727 Gross Vehicle Mass (kg) 2.170 Towing Capacity Unbraked (kg) 750 Towing Capacity Unbraked (kg) 750 Towing Capacity Unbraked (kg) 100 Model Variant 1.6L Turbo Pertol Hybrid SX • GT-Line • Steering, Brakes & Suspension SX GT-Line Power Steering, Brakes & Suspension SX GT-Line Drive Mode Select System 3 Modes - Eco, Sport, Smart 111.4 - 122 <		1,665 1.680	
Fuel Consumption (L/100km) - Urban³ 4.8 Fuel Consumption (L/100km) - Extra-Urban³ 4.9 Co, Emission (g/km) - Combined³ 110 Co, Emission (g/km) - Extra-Urban³ 108 Co, Emission (g/km) - Extra-Urban³ 111 Bonnet Insulator • Fuel Tayk Capacity (L) 52 Veight Capacity (L) 52 Weight (Rg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity (L) 52 Towing Capacity (L) 6,50 Towing Capacity (L) 1,650 Gross Vehicle Mass (kg) 2,170 Towing Capacity Unbraked (kg) 750 Towing Capacity Unbraked (kg) 1,650 Max. Towall Download (kg) 100 Model Variant 1,650 SX 1 GT-Line • Steering, Brakes & Suspension SX GT-Line Steering, Brakes & Suspension SX GT-Line Power Steering System Column MDPS* (Electric Power Steering)	Overall Height with Roofrails (mm)	1,665 1,680	
Fuel Consumption (L/100km) - Extra-Urbans¹ 4.9 Co, Emission (g/km) - Combined⁵ 110 Co, Emission (g/km) - Urban⁵ 108 Co, Emission (g/km) - Urban⁵ 111 Bonnet Insulator • Fuel Type Recommended Regular Unleaded¹ Fuel Tank Capachy (L) 52 Weight 1.53 Tare Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity Urbraked (kg) 750 Towing Capacity Urbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 16.1 Turbo Petrol Hybrid SX 6- GT-Line • Steering, Brakes & Suspension SX GT-Line Power Steering System SO um MDPS* (Electric Power Steering) Drive Mode Select System 3 Modes - Ecc, Sport, Smart Tilt & Telescopic Adjustable Steering Column • Minimum Turning Circle (m) 11.4 - 12.2 Front Suspension Multi-Link Fear Suspension	-		
Co, Emission (g/km) - Combined⁵ 110 Co, Emission (g/km) - Urban⁴ 108 Co, Emission (g/km) - Extra-Urban⁵ 111 Bonnet Insulator • Fuel Type Recommended Regular Unleaded⁻ Fuel Tank Capacity (L) 52 Weight 1,738 Kerb Weight (kg) 1,707 Gross Vehicle Mass (kg) 1,707 Towing Capacity 1,6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Unbraked (kg) 1,650 Max. Towball Download (kg) 100 Model Variant 1,6L Turbo Petrol Hybrid SX • GT-Line • Steering, Brakes & Suspension SX GT-Line Steering, Brakes & Suspension SX <td>Fuel</td> <td>1.6L Turbo Petrol Hybrid</td>	Fuel	1.6L Turbo Petrol Hybrid	
Co, Emission (g/km) - Urban ⁵ 108 Co, Emission (g/km) - Extra-Urban ⁵ 111 Bonnet Insulator Regular Unleaded" Fuel Type Recommended Regular Unleaded" Fuel Tank Capacity (L) 52 Weight 1.6L Turbo Petrol Hybrid Kerb Weight (kg) 1,707 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity Towing Capacity (Probated (kg)) 750 Towing Capacity Unbraked (kg) 750 Towing Capacity Bownload (kg) 100 Max. Towball Download (kg) 100 Model Variant 1.6L Turbo Petrol Hybrid SX 6T-Line Steering, Brakes & Suspension SX GT-Line • Steering, Brakes & Suspension SX GT-Line 3 Modes - Eco. Sport, Smart Drive Mode Select System 3 Modes - Eco. Sport, Smart Till & Telescopic Adjustable Steering Column • Minimum Turring Circle (m) 11.4 - 12.2 Front Suspension McPherson Strut Rear Suspension M	Fuel Fuel Consumption (L/100km) - Combined ⁵	1.6L Turbo Petrol Hybrid 4.9	
Co, Emission (g/km) - Extra-Urbans ⁶ 111 Bonnet Insulator • Fuel Type Recommended Regular Unleaded* Fuel Tank Capacity (L) 52 Weight 1.6L Turbo Petrol Hybrid Kerb Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity* 1.6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 100 Model Variant 1.6L Turbo Petrol Hybrid SX 6T-Line SV 6T-Line Power Steering, Brakes & Suspension SX 6T-Line Power Steering System Column MDP5* (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart Tilt & Telescopic Adjustable Steering Column • Minimum Turning Circle (m) 11.4 - 12.2 Front Suspension McPherson Strut Rear Suspension McPherson Strut Rear Suspension Multi-Link Front Brake	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵	1.6L Turbo Petrol Hybrid 4.9 4.8	
Co, Emission (g/km) - Extra-Urbans ⁶ 111 Bonnet Insulator • Fuel Type Recommended Regular Unleaded* Fuel Tank Capacity (L) 52 Weight 1.6L Turbo Petrol Hybrid Kerb Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity* 1.6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 100 Model Variant 1.6L Turbo Petrol Hybrid SX 6T-Line SV 6T-Line Power Steering, Brakes & Suspension SX 6T-Line Power Steering System Column MDP5* (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart Tilt & Telescopic Adjustable Steering Column • Minimum Turning Circle (m) 11.4 - 12.2 Front Suspension McPherson Strut Rear Suspension McPherson Strut Rear Suspension Multi-Link Front Brake	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9	
Fuel Type Recommended Regular Unleaded" Fuel Tank Capacity (L) 52 Weight 1.6L Turbo Petrol Hybrid Kerb Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity 1.6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 1,650 Model Variant 1.6L Turbo Petrol Hybrid SX 6T-Line GT-Line . Steering, Brakes & Suspension SX GT-Line Power Steering System Column MDPS* (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart 11.4 * Telescopic Adjustable Steering Column Minimum Turning Circle (m) 11.4 * 12.2 11.4 * 12.2 Front Suspension McPherson Strut Rear Suspension Multi-Link Rear Suspension Multi-Link 325mm Ventilated Disc Rear Brakes 325mm Ventilated Disc	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110	
Fuel Tank Capacity (L) 52 Weight 1.6L Turbo Petrol Hybrid Kerb Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity 1.6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 100 Model Variant 1.6L Turbo Petrol Hybrid SX • GT-Line • Steering, Brakes & Suspension SX GT-Line Steering, Brakes & Suspension SX GT-Line Power Steering System Column MDPS* (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart It & Telescopic Adjustable Steering Column • Minimum Turning Circle (m) 11.4 - 12.2 Telescopic Adjustable Steering Column McPherson Strut Rear Suspension McPherson Strut Rear Suspension McPherson Strut Rear Suspension Multi-Link Front Brakes 325mm Ventilated Disc	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108	
Fuel Tank Capacity (L) 52 Weight 1.6L Turbo Petrol Hybrid Kerb Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity 1.6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 100 Model Variant 1.6L Turbo Petrol Hybrid SX • GT-Line • Steering, Brakes & Suspension SX GT-Line Steering, Brakes & Suspension SX GT-Line Power Steering System Column MDPS* (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart It & Telescopic Adjustable Steering Column • Minimum Turning Circle (m) 11.4 - 12.2 Telescopic Adjustable Steering Column McPherson Strut Rear Suspension McPherson Strut Rear Suspension McPherson Strut Rear Suspension Multi-Link Front Brakes 325mm Ventilated Disc	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108	
Weight (kg) 1.6L Turbo Petrol Hybrid Kerb Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity* 1.6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 100 Model Variant 1.6L Turbo Petrol Hybrid SX • GT-Line • Steering, Brakes & Suspension SX GT-Line Power Steering System Column MDPS* (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart Tilt & Telescopic Adjustable Steering Column • Minimum Turning Circle (m) 11.4 - 12.2 Front Suspension McPherson Strut Rear Suspension Multi-Link Front Brakes 325mm Ventilated Disc Rear Brakes 300mm Solid Disc	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 •	
Kerb Weight (kg) 1,738 Tare Weight (kg) 1,707 Gross Vehicle Mass (kg) 2,170 Towing Capacity 1,6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 100 Model Variant 1.6L Turbo Petrol Hybrid SX • GT-Line \$X Steering, Brakes & Suspension SX GT-Line Steering, Brakes & Suspension SX GT-Line Steering, Brakes & Suspension SX GT-Line Steering System Column MDPS ⁶ (Electric Power Steering) Only Column MDPS ⁶ (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart Tilt & Telescopic Adjustable Steering Column • Minimum Turning Circle (m) 11.4 - 12.2 Front Suspension McPherson Strut Rear Suspension Multi-Link Front Brakes 325mm Ventilated Disc	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded**	
Tare Weight (kg) Gross Vehicle Mass (kg) 2,170 Towing Capacity Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Towing Capacity Br	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L)	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded** 52	
Gross Vehicle Mass (kg) Towing Capacity Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Column MDPS6 (Electric Power Steering) Drive Mode Select System Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension Rear Suspension Rear Suspension Rear Brakes Bases 1.65 Turbo Petrol Hybrid 1.6L Turbo Petrol Hybrid 1.6L Turbo Petrol Hybrid 1.6L Turbo Petrol Hybrid 1.6C	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded* 52 1.6L Turbo Petrol Hybrid	
Towing Capacity ' 1.6L Turbo Petrol Hybrid Towing Capacity Unbraked (kg) 750 Towing Capacity Braked (kg) 1,650 Max. Towball Download (kg) 100 Model Variant 1.6L Turbo Petrol Hybrid SX • GT-Line • Steering, Brakes & Suspension SX GT-Line Power Steering System Column MDPS® (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) 11.4 - 12.2 Front Suspension McPherson Strut Rear Suspension Multi-Link Front Brakes 325mm Ventilated Disc Rear Brakes 300mm Solid Disc	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg)	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738	
Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Srive Modes Select System Srive Adjustable Steering Column Minimum Turning Circle (m) Minimum Turning Circle (m) Front Suspension Rear Suspension Rear Suspension Rear Brakes Rear Brakes Suspension Rich Column MDPS® (Electric Power Steering) System Signature Column MDPS® (Electric Power Steering) System Syst	Fuel Fuel Consumption (L/100km) - Combineds Fuel Consumption (L/100km) - Urbans Fuel Consumption (L/100km) - Extra-Urbans Co ₂ Emission (g/km) - Combineds Co ₂ Emission (g/km) - Urbans Co ₂ Emission (g/km) - Extra-Urbans Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg)	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707	
Towing Capacity Braked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Column MDPS® (Electric Power Steering) Drive Mode Select System SY GT-Line Column MDPS® (Electric Power Steering) Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension Rear Suspension Rear Suspension Front Brakes Rear Brakes Mathematical Steering Column Mathematical Steering Column Multi-Link Front Brakes 300mm Solid Disc	Fuel Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg)	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170	
Max. Towball Download (kg)100Model Variant1.6L Turbo Petrol HybridSX.GT-Line.Steering, Brakes & SuspensionSXGT-LinePower Steering SystemColumn MDPS® (Electric Power Steering)Drive Mode Select System3 Modes - Eco, Sport, SmartTilt & Telescopic Adjustable Steering Column.Minimum Turning Circle (m)11.4 - 12.2Front SuspensionMcPherson StrutRear SuspensionMulti-LinkFront Brakes325mm Ventilated DiscRear Brakes300mm Solid Disc	Fuel Fuel Consumption (L/100km) - Combineds Fuel Consumption (L/100km) - Urbans Fuel Consumption (L/100km) - Extra-Urbans Co ₂ Emission (g/km) - Combineds Co ₂ Emission (g/km) - Urbans Co ₂ Emission (g/km) - Extra-Urbans Co ₂ Emission (g/km) - Extra-Urbans Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity^	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid	
Model Variant1.6L Turbo Petrol HybridSX•GT-Line•Steering, Brakes & SuspensionSXGT-LinePower Steering SystemColumn MDPS6 (Electric Power Steering)Drive Mode Select System3 Modes - Eco, Sport, SmartTilt & Telescopic Adjustable Steering Column•Minimum Turning Circle (m)11.4 - 12.2Front SuspensionMcPherson StrutRear SuspensionMulti-LinkFront Brakes325mm Ventilated DiscRear Brakes300mm Solid Disc	Fuel Consumption (L/100km) - Combineds Fuel Consumption (L/100km) - Urbans Fuel Consumption (L/100km) - Extra-Urbans Co ₂ Emission (g/km) - Combineds Co ₂ Emission (g/km) - Urbans Co ₂ Emission (g/km) - Extra-Urbans Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg)	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750	
SX GT-Line Steering, Brakes & Suspension SX GT-Line Power Steering System Column MDPS ⁶ (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) 11.4 - 12.2 Front Suspension McPherson Strut Rear Suspension Multi-Link Front Brakes SX GT-Line Column MDPS ⁶ (Electric Power Steering) 3 Modes - Eco, Sport, Smart 1 Methods McPherson Strut Rear Suspension Multi-Link Signature Sig	Fuel Consumption (L/100km) - Combineds Fuel Consumption (L/100km) - Urbans Fuel Consumption (L/100km) - Extra-Urbans Co ₂ Emission (g/km) - Combineds Co ₂ Emission (g/km) - Urbans Co ₂ Emission (g/km) - Extra-Urbans Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg) Towing Capacity Braked (kg)	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded** 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650	
GT-Line Steering, Brakes & Suspension Power Steering System Column MDPS ⁶ (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension Rear Suspension Rear Suspension Front Brakes Rear Brakes • GT-Line SX GT-Line McPlersor Steering Mdes - Eco, Sport, Smart 11.4 - 12.2 McPherson Strut Multi-Link 325mm Ventilated Disc 300mm Solid Disc	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg)	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100	
Steering, Brakes & SuspensionSXGT-LinePower Steering SystemColumn MDPS6 (Electric Power Steering)Drive Mode Select System3 Modes - Eco, Sport, SmartTilt & Telescopic Adjustable Steering Column•Minimum Turning Circle (m)11.4 - 12.2Front SuspensionMcPherson StrutRear SuspensionMulti-LinkFront Brakes325mm Ventilated DiscRear Brakes300mm Solid Disc	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) Model Variant	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid	
Power Steering System Column MDPS ⁶ (Electric Power Steering) Drive Mode Select System 3 Modes - Eco, Sport, Smart Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) 11.4 - 12.2 Front Suspension McPherson Strut Rear Suspension Multi-Link Front Brakes 325mm Ventilated Disc Rear Brakes	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) Model Variant SX	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid	
Drive Mode Select System 3 Modes - Eco, Sport, Smart ilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension Rear Suspension Multi-Link Front Brakes Rear Brakes 3 Modes - Eco, Sport, Smart Multi-Link 11.4 - 12.2 McPherson Strut Multi-Link 325mm Ventilated Disc 300mm Solid Disc	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) Model Variant SX GT-Line	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • •	
Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension Rear Suspension Multi-Link Front Brakes 325mm Ventilated Disc Rear Brakes	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded** 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • SX GT-Line	
Minimum Turning Circle (m) Front Suspension Rear Suspension Multi-Link Front Brakes Rear Brakes 11.4 - 12.2 McPherson Strut Multi-Link 325mm Ventilated Disc 300mm Solid Disc	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • SX GT-Line Column MDPS® (Electric Power Steering)	
Front Suspension McPherson Strut Rear Suspension Multi-Link Front Brakes 325mm Ventilated Disc Rear Brakes 300mm Solid Disc	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Drive Mode Select System	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • SX GT-Line Column MDPS® (Electric Power Steering)	
Rear SuspensionMulti-LinkFront Brakes325mm Ventilated DiscRear Brakes300mm Solid Disc	Fuel Fuel Consumption (L/100km) - Combineds Fuel Consumption (L/100km) - Urbans Fuel Consumption (L/100km) - Extra-Urbans Co2 Emission (g/km) - Combineds Co2 Emission (g/km) - Urbans Co2 Emission (g/km) - Extra-Urbans Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Drive Mode Select System Tilt & Telescopic Adjustable Steering Column	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • • • • SX GT-Line Column MDPS® (Electric Power Steering) 3 Modes - Eco, Sport, Smart • •	
Front Brakes 325mm Ventilated Disc Rear Brakes 300mm Solid Disc	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Drive Mode Select System Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m)	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • • SX GT-Line Column MDPS ⁶ (Electric Power Steering) 3 Modes - Eco, Sport, Smart • 11.4 - 12.2	
Rear Brakes 300mm Solid Disc	Fuel Consumption (L/100km) - Combineds Fuel Consumption (L/100km) - Urbans Fuel Consumption (L/100km) - Extra-Urbans Co_2 Emission (g/km) - Combineds Co_2 Emission (g/km) - Urbans Co_2 Emission (g/km) - Extra-Urbans Co_2 Emission (g/km) - Extra-Urbans Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity* Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Drive Mode Select System Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • • SX GT-Line Column MDPS ⁶ (Electric Power Steering) 3 Modes - Eco, Sport, Smart • 11.4 - 12.2	
	Fuel Consumption (L/100km) - Combineds Fuel Consumption (L/100km) - Urbans Fuel Consumption (L/100km) - Extra-Urbans Co_2 Emission (g/km) - Combineds Co_2 Emission (g/km) - Urbans Co_2 Emission (g/km) - Extra-Urbans Co_2 Emission (g/km) - Extra-Urbans Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity* Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Drive Mode Select System Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • • • SX GT-Line Column MDPS® (Electric Power Steering) 3 Modes - Eco, Sport, Smart • 11.4 - 12.2 McPherson Strut	
Electronic Parking Brake with Auto Hold	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Drive Mode Select System Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension Rear Suspension	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 1111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • SX GT-Line Column MDPS* (Electric Power Steering) 3 Modes - Eco, Sport, Smart • 11.4 - 12.2 McPherson Strut Multi-Link	
	Fuel Consumption (L/100km) - Combined ⁵ Fuel Consumption (L/100km) - Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Fuel Consumption (L/100km) - Extra-Urban ⁵ Co ₂ Emission (g/km) - Combined ⁵ Co ₂ Emission (g/km) - Urban ⁵ Co ₂ Emission (g/km) - Extra-Urban ⁵ Bonnet Insulator Fuel Type Recommended Fuel Tank Capacity (L) Weight Kerb Weight (kg) Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity Towing Capacity Unbraked (kg) Towing Capacity Unbraked (kg) Max. Towball Download (kg) Model Variant SX GT-Line Steering, Brakes & Suspension Power Steering System Drive Mode Select System Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle (m) Front Suspension Rear Suspension Front Brakes	1.6L Turbo Petrol Hybrid 4.9 4.8 4.9 110 108 1111 • Regular Unleaded" 52 1.6L Turbo Petrol Hybrid 1,738 1,707 2,170 1.6L Turbo Petrol Hybrid 750 1,650 100 1.6L Turbo Petrol Hybrid • • • SX GT-Line Column MDPS® (Electric Power Steering) 3 Modes - Eco, Sport, Smart • 11.4 - 12.2 McPherson Strut Multi-Link 325mm Ventilated Disc	

Wheels & Tyres	SX	GT-Line
Wheel Size / Design	18" Machined Alloy	18" Machined Alloy
Tyres	235/60R18	235/60R18
Spare Wheel Type	Temporary Spare (Steel)	Temporary Spare (Steel)
TPMS (Tyre Pressure Monitoring System)	•	
Safety	SX	GT-Line
Active Safety ⁷		
ABS (Anti-Lock Braking System) with EBD ⁸ & BA ⁹	•	
ESC (Electronic Stability Control) with TCS ¹⁰	•	
DBC (Downhill Brake Control)	•	
HAC (Hill-Start Assist Control)	•	
TSA (Trailer Stability Assist)	•	
MCB (Multi-Collision Braking)	•	
AEB (Autonomous Emergency Braking) - Car, Pedestrian, Cyclist & Junction	•	
LKA (Lane Keeping Assist) with Line/Road Edge Detection	•	
LFA (Lane Following Assist)	•	
	•	
BCW (Blind Spot Collision Warning) with RCCW (Rear Cross Traffic Collision Warning) BCA (Blind Spot Collision Avoidance Assist) with RCCA (Rear Cross Traffic Collision	<u> </u>	
Avoidance)	•	
SEW (Safe Exit Warning)	•	
DAA+ (Driver Attention Alert) with Lead Vehicle Departure Alert	•	
ISLA (Intelligent Speed Limit Assist)	•	
Haptic Steering Wheel Feedback	•	
Rear View Camera with Dynamic Parking Guidelines	•	
ROA (Rear Occupant Alert) - Basic Type	•	

HBA (High Beam Assist)	<u> </u>	
Dusk-Sensing Automatic Headlights	•	
Front Wiper & Washer (Low/High and 5-Speed Intermittent)	•	
Rain Sensing Wipers	•	
Door Open Warning on Driver Display	•	
Seatbelt Warning Chime & Indicator Light (All Positions)	•	
Speed Sensing Auto Door Lock	•	
Child Restraint Anchorage Points (3 x Top Tether Anchors + 2 x Isofix Positions)	•	
Child-Proof Rear Door Locks	•	
PCA (Parking Collision Avoidance Assist - Reverse)	-	•
Parking Sensors with Dash Display	(Front & Rear)	(Front & Rear)
SVM (Surround View Monitor) with 3D Mode	-	•
BVM (Blind Spot View Monitor)	-	•
Day/Night Rear View Mirror	•	
Electrochromic Rear View Mirror (Auto Dimming)	-	
	-	•
Passive Safety		
Driver & Front Passenger SRS Airbags	•	
Centre Side Airbag (Front)	•	
Front Side SRS Airbags	•	
Curtain SRS Airbags	•	
3-Point ELR Seatbelts on all Positions	•	
Front Seatbelt Pre-Tensioners with Load Limiters	•	
Security	SX	GT-Line
Burglar Alarm	•	
Anti-Theft Immobiliser	•	
Remote Central Locking with Boot Release		
Headlight Escort Function	•	
Folding Key Remote (x 2)	•	
Smart Key Remote (x 2) with Push Button Start	-	•
eating Country	SX	GT-Line
Seat Capacity	5	5
Seat Trim	Cloth	Leather Appointed with Artificial Suede Upper ¹¹
6-Way Privare Seat Including Height Adjust (Pumping Povice)	(with 2-Way Lumbar Summer)	74 miciai suede Oppei
6-Way Drivers Seat Including Height Adjust (Pumping Device)	(with 2-Way Lumbar Support)	-
8-Way Power Drivers Seat with 2-Way Power Lumbar Support	-	•
IMS Drivers Seat with 2-Position Memory	-	•
8-Way Power Front Passenger Seat	-	•
Front Centre Console Armrest	•	
Height Adjustable Front Seatbelts	•	
Rear Centre Armrest	•	
Split Fold Rear Seats (60:40)	•	
	•	

Exterior Features	SX	GT-Line
Electric Outside Door Mirrors (Adjust/Heated/Folding)		•
Body Coloured Door Handles		•
Rear Spoiler with Integrated High Mounted Stop Lamp (LED)		•
Hidden Rear Wiper		•
Mud Flaps (Front & Rear)		•
LED Daytime Running Lights		•
Shark Fin Antenna		•
Windscreen with Acoustic Film		•
Solar Glass (Windscreen & Front Door Glass)		•
Exterior Body Design	Design Type A	Design Type B
Gloss Black 'Tiger Nose' Grille	(SX Design)	(GT-Line Design)
Wheel Arch Moldings and Bumper Trim	Matte Plastic	Matte Plastic
Bumper & Side Sill Trims	Matte Chrome	Dark Satin Chrome
Window Trim and D-Pillar Garnish	Matte Chrome	Gloss Black
Roof Rails	Silver (Slim Type)	Gloss Black (Bridge Type)
LED Head Lights (Reflector Type with Bulb Indicator)	•	
LED Head Lights (Dual Projector Type / Full LED)		
LED Front Fog Lights (MFR Type)		•
LED Tail Lights (Bulb Indicator and Stop Lights)	•	
LED Tail Lights (Full LED)	-	•
Hands-Free Smart Power Tailgate	-	•
Privacy Glass (Rear Windows & Tailgate)	-	•
Panoramic Sunroof with Safety Function	-	•
Outside Door Mirrors with Integrated Side Indicator	Body Coloured	Gloss Black
Interior Features	SX	GT-Line
Leather Appointed Steering Wheel		•
Shift by Wire Shift Knob (Dial Type)		•
Steering Wheel Paddle Shifters		•
ASCC (Advanced Smart Cruise Control) with Stop and Go		•
Multi-Function Trip Computer (Distance Traveled, Fuel Consumption, Distance to		•
User Selectable Options (Auto Door Lock/Unlock, Headlight Escort, etc)		•
Digital Clock (within Audio Display)		•
Ambient Temperature Display (within Cluster)		•
Door Lock Controls (Driver & Front Passenger)		•
Power Windows (Front & Rear)		•
Auto Up/Down Drivers Windows with Safety Function		•
Soft-Touch Dashboard		•
Soft-Touch Door Armrest & Door Upper (Front)		•
Gloss Black Interior Trim (Console, Window Switch Panel)		•
Driver & Passenger Sunvisors with Sliding Function		•
Illuminated Vanity Mirrors		•
2 x 12 Volt Power Outlets (1 x Boot Side / 1 x Front Tray)		•
Rear Window Defroster with Timer		•
Driver's Foot Rest		•
2 x USB Chargers (1 x Type A & 1 x Type C) In Front Tray		•
2 x USB Charger (Type C) In Front Seat Backs	-	
Alloy Sports Pedals	-	•
Ignition Key Hole Illumination	•	-
Metal Door Scuff Panels		•
Dashboard Garnish	Brushed Metal	Woodgrain Hydrographic
Bulb Interior Lighting (Front & Rear) with Delay Out	•	-
	<u> </u>	-
LED Interior Lighting (Front & Rear) with Delay Out	<u>-</u>	•
Ambient Mood Lighting (64 Colours)	<u>-</u>	•
Wireless Phone Charger (Qi) ¹⁶		
Storage	SX	GT-Line
4 x Cup Holders (2 x Front Console, 2 x Rear Centre Armrest)		•
4 x Bottle Holders (Front & Rear Doors)		•
Map Pockets In Front Doors		•
		•
Glovebox with Illumination		•
Glovebox with Illumination Centre Console Storage Box with Lid		•
Glovebox with Illumination Centre Console Storage Box with Lid Front Seat Back Pockets		
Glovebox with Illumination Centre Console Storage Box with Lid		•
Glovebox with Illumination Centre Console Storage Box with Lid Front Seat Back Pockets		•
Glovebox with Illumination Centre Console Storage Box with Lid Front Seat Back Pockets Cargo Cover (Retractable)		•
Glovebox with Illumination Centre Console Storage Box with Lid Front Seat Back Pockets Cargo Cover (Retractable) Remote Folding 2nd Row Seat (Release Lever x 2 In Boot)	-	•
Glovebox with Illumination Centre Console Storage Box with Lid Front Seat Back Pockets Cargo Cover (Retractable) Remote Folding 2nd Row Seat (Release Lever x 2 In Boot) Luggage Net Hooks (Cargo Area)	- -	•
Glovebox with Illumination Centre Console Storage Box with Lid Front Seat Back Pockets Cargo Cover (Retractable) Remote Folding 2nd Row Seat (Release Lever x 2 In Boot) Luggage Net Hooks (Cargo Area) Luggage Net		•
Glovebox with Illumination Centre Console Storage Box with Lid Front Seat Back Pockets Cargo Cover (Retractable) Remote Folding 2nd Row Seat (Release Lever x 2 In Boot) Luggage Net Hooks (Cargo Area) Luggage Net 2 x Coat Hangers (Front Headrests)	-	•

Infotainment & Driver Display	SX	GT-Line
AM/FM Radio		•
DAB Digital Radio		•
12.3" Colour LCD Touch Screen Infotainment		•
Satellite Navigation Multimedia System With 10 Years Traffic Information and Map Updates		•
Sounds of Nature		•
Personalised Profile (Radio Favourites, Bluetooth Priority, etc)		•
Bluetooth® Multi-Connection Functionality (Phone/Media Stream) ¹³		•
Steering Wheel Mounted Audio/Bluetooth® Controls		•
Wired Android Auto [™] with Voice Recognition ¹⁴		•
Wired Apple Carplay™- with Voice Recognition¹5		•
6 Speaker Sound System (4 Speakers, 2 Tweeters)	•	-
8 Speaker Harman Kardon® Premium Sound System (5 Speakers, 2 Tweeters, Subwoofer) ¹²	-	•
Basic Digital Driver Cluster with 4" Multi Function LCD Display	•	-
Curved Display (12.3" Digital Driver Cluster + 12.3" Touch Screen Infotainment)	-	•
Ventilation	SX	GT-Line
Dual-Zone Climate Control Air-Conditioning		•
Air Filter		•
Auto Windscreen Defog		•
2nd Row Vents (Behind Centre Console)		•
Heated Front Seats	-	•
Ventilated Front Seats	-	•
Heated Steering Wheel	-	•
Exterior Colours	SX	GT-Line
Clear White (UD)		•
Steel Grey (KLG)#		•
Gravity Grey (KDG)#		•
Fusion Black (FSB)#		•
Vesta Blue (BB2)#		•
Dawning Red (DWR)#		•
Snow White Pearl (SWP)#	-	•
Jungle Wood Green (JUG)#	-	•
Interior Colours	SX	GT-Line
Black (WK) with Light Grey Cloth Headliner	•	-
Black (WK) with Black Cloth Headliner	-	•

Standard - Not available

Specifications apply to 2024 Model Year Sportage. Kia Australia reserves the right to discontinue or change the models, features, specifications, options, designs and prices of products referred to in this sheet without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items herein are optional at additional cost. Consult your Kia dealer for the latest information on models, specifications, features, prices, options and availability. 'DOHC - Dual Overhead Cam. '2GDI - Gasoline Direct Injection.

3D-CVVT - Dual Continuous Variable Valve Timing. "CVVD - Continuously Variable Valve Duration. "Fuel consumption figures are based on ADR81/02 test results (same as NEDC defined by UNECE R101/01). They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. Real life driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions. "MDPS - Motor Driven Power Steering. "Safety technologies are supplemental systems and do not replace the need for the driver to exercise care and attention. "EBD - Electronic Brake Distribution. "BA - Brake Assist. "OTCS - Traction Control System." "Leather appointed may comprise of genuine leather, polyurethane and other man-made materials or a combination thereof. '2'Harmon Kardon' is a trademark of Harman International Industries, Incorporated. "3Not all mobile phones will be compatible with the vehicle's Bluetooth' system. Bluetooth' is a registered trademark of Bluetooth SIG. "4Android Auto of Apple Inc. "5Apple CarPlay" is a registered trademark of Apple Inc. "6Wireless charging compatible with phones featuring Qi technology or adapter. "E10 Compatible. "Subject to State regulations and