

PV5

Model Year 2026



Movement that inspires

PV5 MY26 - Mechanical & Feature List

| Drivetrain | | Cargo S 4DR Long Range |
|---|--|--|
| Electric Motor Location | | Front |
| Driven Wheels | | Front Wheel Drive |
| Motor Type Front | | Permanent Magnet Synchronous Motor |
| Maximum Power | | 120 kW |
| Maximum Torque | | 250 Nm |
| Maximum Speed | | 135 km/h |
| Transmission Type | | 1 Speed Automatic Transmission (Reduction Gear) |
| Final Gear Ratio (Constant) | | 12.16 |
| Battery | | Cargo S 4DR Long Range |
| Battery Type | | Li-ion Battery |
| Energy (kWh) | | 71.2 |
| Voltage (V) | | 402 |
| Capacity (Ah) | | 177.01 |
| Battery Weight (kg) | | 384.8 |
| Battery Position | | Under Floor |
| AC Normal Charging ¹ | | Cargo S 4DR Long Range |
| Charge Port Location | | Front |
| Charge Port Type - AC | | Type 2 |
| On Board Charger (OBC) Maximum Capacity | | 10.5 kW |
| AC Charge 10-100% - with 11kW Charger | | Approx. 6h 30m |
| DC Fast Charging ¹ | | Cargo S 4DR Long Range |
| Charge Port Location | | Front |
| Charge Port Type - DC | | CCS Type 2 |
| Maximum Charging Power (DC) | | 128 kW |
| DC Fast Charge 10-80% (50kW Charger) | | Approx. 61m |
| DC Fast Charge 10-80% (350kW Charger) | | Approx. 30m |
| WLTP Range ² | | Cargo S 4DR Long Range |
| Energy Consumption (Wh/km) - Combined | | 191 |
| All Electric Range (AER) - Combined (km) | | 416 |
| Exterior Dimensions | | Cargo S 4DR Long Range |
| Overall Length (mm) | | 4,695 |
| Overall Width (mm) | | 1,895 |
| Overall Height (mm) | | 1,899 |
| Wheelbase (mm) | | 2,995 |
| Minimum Ground Clearance (mm) | | 143 |
| Interior Dimensions | | Cargo S 4DR Long Range |
| Rear Cargo Area - Maximum Internal Length (mm)** | | 2,255 |
| Rear Cargo Area - Maximum Internal Width (mm)** | | 1,565 |
| Rear Cargo Area - Maximum Internal Height (mm)** | | 1,520 |
| Rear Cargo Area - Maximum Capacity (L, VDA) | | 4,420 |
| Weight | | Cargo S 4DR Long Range |
| Tare Weight (kg) | | 1,955 |
| Kerb Weight (kg) | | 1,910 |
| Maximum Payload (kg) | | 740 |
| Gross Vehicle Mass (kg) | | 2,650 |
| Roof Load (kg) | | 100 |
| Towing Capacity ³ | | Cargo S 4DR Long Range |
| Towing Capacity Unbraked (kg) | | 750 |
| Towing Capacity Braked (kg) | | 750 |
| Maximum Towball Download (kg) | | 75 |
| EV Specific Features | | Cargo S 4DR Long Range |
| Charge Port Light | | • |
| V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) | | • |
| V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) | | • |
| Regenerative Braking Control via Paddle Shifters | | • |
| Smart Regenerative Braking | | • |
| i-Pedal - One Pedal Driving Function | | • |
| Charge Management (Scheduled Charging) | | • |
| Utility Mode Function | | • |
| Steering, Brakes & Suspension | | Cargo S 4DR Long Range |
| Power Steering System | | Column Mounted MDPS ⁴ (Electric Power Steering) |
| Steering Wheel Turn (Lock To Lock) | | 3.3 |
| DMS ⁵ System | | Modes (Eco, Normal, Snow) |
| Tilt & Telescopic Adjustable Steering Column | | • |
| Minimum Turning Circle Diameter (m) | | 11.0 |
| Front Suspension Type | | Double Wishbone |

| | |
|--|--------------------------------------|
| Steering, Brakes & Suspension | Cargo S 4DR Long Range |
| Rear Suspension Type | Coupled Torsion Beam Axle |
| Front Brakes | 305mm Ventilated Disc |
| Rear Brakes | 300mm Solid Disc |
| Electronic Parking Brake with Auto Hold Function | • |
| Wheels & Tyres | Cargo S 4DR Long Range |
| Wheel Size / Design | 16" Steel Wheels (with Wheel Covers) |
| Tyres | 215/65 R16 |
| TPMS (Tyre Pressure Monitoring System) | • |
| Spare Wheel Type | Tyre Mobility Kit (TMK) |
| Safety⁶ | Cargo S 4DR Long Range |
| Active Safety | |
| ABS (Anti-lock Braking System) with EBD ⁷ & BA ⁸ | • |
| ESC (Electronic Stability Control) with TCS ⁹ | • |
| HAC (Hill-start Assist Control) | • |
| MCB (Multi-Collision Braking) | • |
| AEB (Autonomous Emergency Braking) - Car, Pedestrian, Cyclist & Junction Turning | • |
| LKA (Lane Keeping Assist) | • |
| LFA2 (Lane Following Assist 2) | • |
| HDA (Highway Driving Assist) | • |
| BCA (Blind Spot Collision Avoidance Assist) with RCCA (Rear Cross Traffic Collision Avoidance) | • |
| SEW (Safe Exit Warning) | • |
| DAW (Driver Attention Warning) with Lead Vehicle Departure Alert | • |
| ISLA (Intelligent Speed Limit Assist) | • |
| Haptic Steering Wheel Feedback | • |
| Parking Sensors with Dash Display (Front/Side/Rear) | • |
| Rear View Camera with Dynamic Parking Guidelines | • |
| SVM (Surround View Monitor) with 3D Mode | • |
| BVM (Blind Spot View Monitor) | • |
| Rear View Mirror | • |
| HBA (High Beam Assist) | • |
| Dusk-Sensing Automatic Head Lights | • |
| Front Wiper & Washer (Low/High and 5-Speed Intermittent) | • |
| Rain Sensing Wipers | • |
| Door Open Warning on Driver Display | • |
| Seatbelt Warning Indicator Light (All Positions) | • |
| Speed Sensing Auto Door Locks | • |
| Passive Safety | |
| Driver & Front Passenger SRS Airbags | • |
| Centre Side Airbag (Front) | • |
| Front Side SRS Airbags | • |
| Curtain SRS Airbags | • |
| 3-Point ELR Seatbelts (All Positions) | • |
| Front Seatbelt Pre-Tensioners with Load Limiters | • |
| Security | Cargo S 4DR Long Range |
| Burglar Alarm | • |
| Anti-theft Immobiliser | • |
| Remote Central Locking | • |
| Smart Key Remote (x 2) with Remote Motor Start | • |
| Headlight Escort Function | • |
| Seating | Cargo S 4DR Long Range |
| Seat Capacity | 2 |
| Seat Trim | Cloth |
| 6-Way Drivers Seat including Height Adjust (with 2-Way Lumbar Support) | • |
| 6-Way Front Passenger Seat including Height Adjust (with 2-Way Lumbar Support) | • |
| Height Adjustable Front Headrests | • |
| Exterior Features | Cargo S 4DR Long Range |
| Wheel Arch Mouldings | Matte Black |
| Gloss Black Window Trim and A-Pillar | • |
| Gloss Black Outside Door Mirrors with Integrated Side Indicators | • |
| Electric Outside Door Mirrors (Adjust/Heated/Folding) | • |
| Door Handles (Body Coloured) | • |
| LED Daytime Running Lights | • |
| LED Head Lights (Reflector Type) | • |
| LED Tail Lights with Bulb Indicator | • |
| Rear Fog Light | • |
| High Mounted Stop Lamp (LED) | • |
| Aero Blade Wipers | • |
| Shark Fin Antenna | • |

| Exterior Features | Cargo S 4DR Long Range |
|---|------------------------|
| Mud Guards (Front & Rear) | • |
| Dual Sliding Doors (Manual) | • |
| Twin Swing Rear Doors | • |
| Interior Features | Cargo S 4DR Long Range |
| Premium Steering Wheel | 2-Spoke |
| Shift By Wire (ColumnType) | • |
| Steering Wheel Paddles (Brake Regen Control) | • |
| Driver Attention Monitoring (In-Cabin Camera) | • |
| SCC2 (Smart Cruise Control 2) | • |
| Multi-Function Trip Computer (Distance Travelled, Energy Consumption, Range) | • |
| User Selectable Options (Auto Door Lock/Unlock, Headlight Escort) | • |
| Digital Clock (within Audio Display) | • |
| Ambient Temperature Display (within Cluster) | • |
| Door Lock Controls (Driver) | • |
| Power Windows (Front) | • |
| Auto Up/Down Window with Safety Function (Driver) | • |
| Driver Armrest | • |
| Driver Foot Rest | • |
| Driver & Passenger Sun Visors with Sliding Function | • |
| Vanity Mirrors (Driver & Passenger) | • |
| 2 x USB Chargers (Type C) in Front | • |
| 1 x 12 Volt Power Outlet (in Front) | • |
| LED Interior Lighting (Cabin & Cargo Area) | • |
| Wireless Phone Charger (Qi) ⁷ | • |
| Solid Partition (between Cabin and Rear Cargo Area) | • |
| 8 x Tie Down Points (Rear Cargo Area) | • |
| Storage | Cargo S 4DR Long Range |
| 2 x Cup Holders (Centre Console) | • |
| 2 x Bottle Holders (Front Doors) | • |
| Glovebox with Illumination | • |
| Upper Storage Tray (Driver Side) | • |
| Front Storage Tray | • |
| Centre Console Tray with Storage | • |
| Under Floor Storage (Driver Side & Passenger Side) | • |
| Seat Side Storage (Driver Side & Passenger Side) | • |
| Infotainment & Driver Display | Cargo S 4DR Long Range |
| AM/FM Radio | • |
| DAB Digital Radio | • |
| 2 x Speakers | • |
| 7.5" Digital Driver Cluster + 12.9" Touch Screen Infotainment | • |
| Kia Connect ⁸ Telematics (eCall, Remote Control, Vehicle Status Monitoring) | • |
| OTA (Over the Air) Updates | • |
| Satellite Navigation | • |
| Bluetooth [®] Multi-Connection Functionality (Phone/Media Stream) ⁹ | • |
| Steering Wheel Mounted Audio/Bluetooth [®] Controls | • |
| Wired and Wireless Android Auto [™] with Voice Recognition ¹⁰ | • |
| Wired and Wireless Apple CarPlay [™] with Voice Recognition ¹¹ | • |
| Ventilation | Cargo S 4DR Long Range |
| Single-Zone Climate Control Air-Conditioning | • |
| Auto Windscreen Defog | • |
| Exterior Colours | Cargo S 4DR Long Range |
| Clear White (UD) | • |
| Interior Colours | Cargo S 4DR Long Range |
| Deep Navy (DDP) with Grey Cloth Headliner | • |

• Standard - Not available

Specifications apply to 2026 Model Year PV5. Kia Australia reserves the right to discontinue or change the models, features, specifications, options, designs and prices of products referred to in this sheet without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items herein are optional at additional cost. Consult your Kia dealer for the latest information on models, specifications, features, prices, options and availability. Note: As of 10 June 2026, all relevant trims will need to undergo all necessary inspections by the Kia Product Planning Team, when cars become available. Until inspections are complete, all information and illustrations are based on data available at the time of publication and subject to change without notice. ⁷Charging times are based on Kia HQ testing and actual charge times will be dependent on charging conditions, including home charging type and condition, battery temperature as well as ambient temperature. Before using this product at home, consult with a licensed electrician to ensure your home electrical system can support the use. ⁸Figures based on WLTP (Worldwide Harmonised Light-Duty Vehicles Test Procedure) static laboratory combined average city and highway cycle test, which measure, energy consumption, range and emissions in passenger vehicles, designed to provide figures closer to real-world driving behaviour. Real life driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions. ⁹Subject to State regulations and towbar design. ¹⁰MDPS - Motor Driven Power Steering. ¹¹DMS - Drive Mode Select. ¹²Safety technologies are supplemental systems and do not replace the need for the driver to exercise care and attention. ¹³Wireless charging compatible with phones featuring Qi technology or adapter. ¹⁴Kia Connect is a connected car service, providing customers with remote vehicle control, vehicle status monitoring, real-time traffic updates and more. Not all phones will be compatible with the Kia Connect app. For more details on Kia Connect visit kia.com/au/kiaconnect. ¹⁵Not all mobile phones will be compatible with the vehicle's Bluetooth[®] system. Bluetooth[®] is a registered trademark of Bluetooth SIG. ¹⁶Android Auto[™] connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Android Auto[™] is a registered trademark of Google Inc. ¹⁷Apple CarPlay[™] connectivity requires compatible iOS device. See apple.com.au for more details. Apple CarPlay[™] is a registered trademark of Apple Inc. ¹⁸Internal Height/Length/Width measurements refer to the maximum internal cargo room height/length/width, not the door dimensions.