





**Bold exterior** 

Sleek & sporty aerodynamics design of the EV6 is stylish as is functional.



**Curved LED tail lights** 

The full LED tail lights in a distinctive curved shape adds a sporty and futuristic look to the EV6.

## Relaxation as a design objective.

With a flat floor and a broad shouldered frame, the Kia EV6 gave our designers more freedom to create the best design for you. The seats take up less space, but deliver more. The zero gravity Relaxion comfort seats ensure that your body is in its most comfortable position, minimizing fatigue or discomfort you may have experienced with conventional seats, especially on long drives.

The Kia EV6 gives you more space and more comfort. Because when you are more relaxed, inspiration flows.



### **Relaxion comfort seats**

The front seats are both slimmer and stronger than those found in other vehicles. They also offer more adjustability. While you charge the Kia EV6, the relaxion comfort seats let you recline to a nearly horizontal position. The seats are designed to relieve pressure on your hips and lower back.



### Smart power tailgate

The hands-free smart power tailgate can be set to open to a desired height using the vehicle settings controls. Stand behind the parked Kia EV6 for few seconds with the key nearby, and the tailgate will open automatically.



### Remote 2nd-row seatback folding

Pull the remote release lever on the wall of the cargo space to fold the rear seatback down, creating up to 1300L of storage capacity.



## An immersive journey for everyone.

The curved dual panoramic 12.3-inch screens provide a stunning and immersive experience. Over 24-inch of combined display for navigation, convenience, entertainment, and vehicle information features. The Meridian premium sound system is designed to bring an impressive listening experience to every seat.



### Panoramic curved display

The intergrated curved display offers a truly immersive experience. Its wide and expansive design provides clear, unobstructed visibility.



### Meridian premium sound system

Meridian, a premier audio brand and partner to Kia, developed the 14-speaker system especially for the unique acoustics of the Kia EV6. A powerful external amplifier boosts output.



### Wireless charging tray

The charging pad in the front center console bin lets you charge compatible portable phones wirelessly. It operates with up to 15W of power, so charging is reassuringly fast.



### Infotainment / climate switchable controller

With the capacitive touch screen located on the centre fascia, you can easily switch between media and the climate control displays with the touch of a button.

# Reinventing how we move. This vehicle is perfectly suited to today's active lifestyle. It's efficient, full of innovative technology and takes you from adventure to adventure.



### **Electric-Global Modular Platform (E-GMP)**

The Kia EV6 is the first vehicle based on the Kia E-GMP platform. The new long-wheelbase platform is a clean slate. It introduces a flat floor, facilitating new comfort and utility choices. Its modularization permits more flexible development to secure performance, maintenance, and safety objectives. Performance benefits include greater power, driving range, and control, as well as shorter charging times.



### **Charging port**

The Kia EV6 is fitted with the Type 2 charging standard that incorporates a combined AC (Type 2) and DC (CCS2) inlet.



### Vehicle-to-Load (V2L)

Get 220V of AC current to power your devices, inside or outside the Kia EV6. Fully charged, its vehicle-to-load feature offers 3.6kW of power, enough to power lifestyle accessories. Inside the Kia EV6, just select EV Ready or Utility mode and use the outlet at the base of the rear seat. For the outside, simply attach the V2L connector to the charging outlet.

# In control of your drive. Experience a truly unique driving experience. Everything about the EV6 is designed to help you to manage your journey. Select the best driving mode to suit your journey or turn your braking into energy regenerative mode. All these to make sure you continue to enjoy every moment of your drive.



### Shift-By-Wire (SBW)

Change gear position simply by turning the dial with the space-saving Shift-By-Wire selector which is conveniently placed alongside the EV6's starter button on the centre console.



### **Drive Mode Select**

The Kia EV6 can adjust to the way you like to drive. Choose Normal, Sport or Eco drive mode using steering wheel or voice controls. Sport lets you accelerate more quickly, while Eco saves energy to extend your driving range. Each mode has a theme display on the cluster screen that switches from white to black at night.



### Smart regenerative braking system

Smart Regenerative Braking automatically adjusts the regenerative braking based on forward traffic flow, harnessing braking energy to improve driving range & efficiency.


### Always Prepared.

Kia applies the latest Advanced Driver Assistance System (ADAS) technologies to help ensure the ultimate in occupant and pedestrian safety.



### Surround View Monitor (SVM)

When maneuvering in confined spaces, multiple cameras give you a zoomable, 360° overhead view around the vehicle, so you can steer and park with confidence.




### Rear Occupant Alert (ROA)

Designed to alert drivers to check if a child is left behind in the rear seat of a vehicle.



### Safe Exit Assist (SEA)

When the occupant opens the door to exit the vehicle after a stop, a warning sounds if an approaching vehicle from the rear side is detected. The function also helps keep the rear door closed with the electronic child lock.



### Blind-Spot Collision-Avoidance Assist (BCA)

The system helps prevent or reduce the risk of collision with vehicles in the adjacent lane or coming from behind when the driver switches lanes through audio-visual alerts and steering feedback.



### Rear Cross-Traffic Collision-Avoidance Assist (RCCA)

If there is a risk of collision with an oncoming vehicle on the left or right side while reversing, RCCA provides a warning. After the warning, if the risk of collision increases, RCCA automatically assists with emergency braking.



### Lane Keeping Assist (LKA)

Alerts you when your vehicle is about to move from its intended lane and provide steering intervention if needed.



### Lane Following Assist (LFA)

Assist the driver's steering to help keep the vehicle centered between the lanes by detecting lanes and vehicles ahead on the road.



### **Blind-Spot View Monitor (BVM)**

Projects live video view of adjacent lanes in the instrument cluster when activated via the turn signal.



### Forward Collision-Avoidance Assist (FCA)

FCA uses a front-view camera and radar to detect a vehicle, pedestrian or cyclist ahead. By warning and braking automatically, it can help you avoid, or reduce the severity of, an accident. The system also engages if you are crossing or turning at a junction.



### **Smart Cruise Control (SCC)**

Smart Cruise Control helps the driver maintain distance from the vehicle ahead and drive at a cruising speed set by the driver. The vehicle automatically stops and starts if the vehicle in front moves ahead within a short period of time.

### **Exterior colours**







Snow White Pearl

Moonscane

Aurora Black Pearl





Runway Red


Yacht Blue


### Interior colours


Suede with Leatherette Accents




### **Dimensions**













reddot winner 2022 innovative product



2022 European

\*5 years manufacturer warranty (or first 150,000km), whichever comes first. 7 years EV battery warranty (or first 150,000km), whichever comes first. \*Android Auto™ will we be available upon official launch of service in Malaysia.

All images shown are for illustration purposes only. Colours and specifications shown may vary from the actual vehicles.

Specifications may subject to change without prior notice. Terms and conditions apply.



### **Kia EV6 Specifications**

POWERTRAIN		Kia EV6 GT-Line AWD
Privetrain ransmission		AWD E-Shift
LECTRIC MOTOR Notor Type		Permanent Magnet Synchronous Motor (PMSM)
otor Maximum Power otor Maximum Torque	Hp / RPM Nm / RPM	Front: 99 / 2,800-6,300 Rear: 221 / 4,500-7,700 Front: 255 / 2,800-6,300 Rear: 350 / 4,500-7,700
ATTERY PACK	kWh	77.4
ttery Energy ttery Type		Lithium-lon
arging Rate	AC (kW) AC (kW)	230V / 12A - 32 hr 45 min (10 - 100%) 11 kW - 7 hr 20 min (10 - 100%)
Calda Tara	DC (kW)	50 kW - 73 min, 350 kW - 18 min (10 - 80%)
arging Cable Type	AC (Normal) DC (Rapid)	Type 2 CCS2
RFORMANCE stem Combined Power	Нр	320
stem Combined Torque	Nm	605
o Speed ving Range (Estimated)	km/h km	185 506
HASSIS aking System Type	Front	Ventilated Discs
spension Type	Rear	Solid Discs MacPherson Struts
· · · · · · · · · · · · · · · · · · ·	Front Rear	Multi-Link
ering Type eels	Wheel Type	Motor Driven (R-MDPS) Alloy
	Wheel Size Wheel Tyre Size	20° x 8J 255 / 45 / R20
are Wheel	Spare Wheel Type	Repair Kit
MENSIONS erall Length	mm	4,695
verall Width	mm	1,890
erall Height eelbase	mm mm	1,550 2,900
ound Clearance rb Weight	mm kg	160 2,105
TERIOR	, ag	
eadlamps eadlamps On / Off Function		Dual LED Projector Auto
adlamps Levelling ytime Running Lights		Auto LED
ar Combination Lamps		LED
ar Fog Lights ndshield Wipers	Туре	LED Variable Intermittent
or Entry	Rain Sensing	Smart Keyless
mote Start		•
uter Rearview Mirror nroof		Auto-Fold
tenna		Shark Fin
ar Trunk Spoiler ilgate		Smart Powered
king Sensors FERIOR		Front & Rear
art / Stop Button		•
rking Brake er Rearview Mirror		Electronic Parking Brake Auto-Dimming
trument Cluster wer Windows with Anti-Pinch / Jam		12.3" Front
eering Wheel Adjustment		Tilt & Telescopic
ive Mode Switch DMFORT AND CONVENIENCE		•
ering Wheel Switches sise Control		Audio, Bluetooth®, Voice Recognition
ddle Shifters		•
-Conditioning ar Air-Conditioning		Dual-Zone Auto Rear Vents
B Ports	Front	x 2 (USB-C)
reless Charger	2nd Row	x2 (USB-C, Front Seat)
.TS ting Capacity		5
nt Seats	Driver Adjustment	Power with Premium Relaxion
	Passenger Adjustment Lumbar Adjustment	Power with Premium Relaxion Driver & Passenger
	Memory Function Ventilation	Driver
ar Conta	Heated	Seat & Steering Wheel
ar Seats at Material	2nd Row	60:40 Split-Fold Suede with Leatherette Accents
OTAINMENT dio System Type		12.3" Infotainment Display
1 / FM Tuner		•
uetooth® Hands-Free Phone & Audio ple CarPlay® & Android Auto™ Function**		•
eakers eaker Technology		x14 Meridian
rround View Monitor (SVM)		Weridian
VANCED TECHNOLOGIES e Pressure Monitoring System (TPMS)		•
mote Smart Parking Assist (RSPA)		•
nicle-2-Load (V2L) FETY		
S Airbags	Front (Driver & Passenger) Side (Front)	x 2 x 2
	Curtain	x 2
i-Lock Braking System (ABS)	Knee (Driver Side)	x 1 with Multi-Collision Braking
stronic Proko Eoroo Dietribution (FDD)		•
		•
ske Assist (BA) ctronic Stability Control (ESC)		
ake Assist (BA) actronic Stability Control (ESC) action Control System (TCS)		•
oke Assist (BA) ctronic Stability Control (ESC) sction Control System (TCS) -Start Assist Control (HAC) to Hold Function		•
ke Assist (BA)  tronic Stability Control (ESC)  ction Control System (TCS)  -Start Assist Control (HAC)  o Hold Function  ar Occupant Alert (ROA)  e Exit Assist (SEA)		with Sensor
ake Assist (BA) ctronic Stability Control (ESC) cction Control System (TCS) -Start Assist Control (HAC) to Hold Function ar Occupant Alert (ROA) fe Exit Assist (SEA) Ild Restraint Anchor Points (ISOFIX)		with Sensor  2nd Row (x 2)
ectronic Brake-Force Distribution (EBD) rake Assist (BA) ectronic Stability Control (ESC) action Control System (TCS) III-Start Assist Control (HAC) uto Hold Function ear Occupant Alert (ROA) afe Exit Assist (SEA) nild Restraint Anchor Points (ISOFIX) mobilizer DVANCED SAFETY TECHNOLOGIES		with Sensor  2nd Row (x 2) with Anti-Theft
ake Assist (BA)  ctronic Stability Control (ESC)  action Control System (TCS)  Il-Start Assist Control (HAC)  to Hold Function  are Occupant Alert (ROA)  fe Exit Assist (SEA)  Ilid Restraint Anchor Points (ISOFIX)  mobilizer  DYANCED SAFETY TECHNOLOGIES  gh Beam Assist (HBA)  nd-Spot Collision-Avoidance Assist (BCA)		with Sensor  2nd Row (x 2)
ake Assist (BA) sectronic Stability Control (ESC) section Control System (TCS) I-Start Assist Control (HAC) to Hold Function ar Occupant Alert (ROA) fe Exit Assist (SEA) ild Restraint Anchor Points (ISOFIX) mobilizer DyANCED SAFETY TECHNOLOGIES on Beam Assist (HBA) ar Cross-Traffic Collision-Avoidance Assist (BCA) ar Cross-Traffic Collision-Avoidance Assist (RCCA)		with Sensor  2nd Row (x 2) with Anti-Theft
ake Assist (BA)  ctronic Stability Control (ESC)  ction Control System (TCS)  -Start Assist Control (HAC)  to Hold Function  ar Occupant Alert (ROA)  fe Exit Assist (SEA)  ill destraint Anchor Points (ISOFIX)  mobilizer  IVANCED SAFETY TECHNOLOGIES  gh Beam Assist (HBA)  nd-Spot Collision-Avoidance Assist (BCA)  ar Cross-Traffic Collision-Avoidance Assist (RCCA)  nd-Spot View Monitor (BVM)  ne Keeping Assist (LKA)		with Sensor  2nd Row (x 2) with Anti-Theft
ike Assist (BA) ctronic Stability Control (ESC) ctrion Control System (TCS) -Start Assist Control (HAC) to Hold Function ar Occupant Alert (ROA) e Exit Assist (SEA) lid Restraint Anchor Points (ISOFIX) mobilizer VANCED SAFETY TECHNOLOGIES th Beam Assist (HBA) d-Spot Collision-Avoidance Assist (BCA) ar Cross-Traffic Collision-Avoidance Assist (RCCA) d-Spot View Monitor (BVM) to Keeping Assist (LKA) ver Attention Warning (DAW)		with Sensor  2nd Row (x 2) with Anti-Theft
ke Assist (BA) ctronic Stability Control (ESC) ction Control System (TCS) -Start Assist Control (HAC) o Hold Function ar Occupant Alert (ROA) e Exit Assist (SEA) Id Restraint Anchor Points (ISOFIX) nobilizer VANCED SAFETY TECHNOLOGIES h Beam Assist (HBA) d-Spot Collision-Avoidance Assist (BCA) ar Cross-Traffic Collision-Avoidance Assist (RCCA) d-Spot View Monitor (BVM) ver Attention Warning (DAW) ward Collision-Avoidance Assist (FCA) ier Collision-Avoidance Assist (FCA) ier Expering Assist (LFA) ver Attention Warning (DAW) ward Collision-Avoidance Assist (FCA) ie Following Assist (LFA)		with Sensor  2nd Row (x 2) with Anti-Theft  with Junction Turning
ake Assist (BA) ectronic Stability Control (ESC) action Control System (TCS) III-Start Assist Control (HAC) uto Hold Function are Occupant Alert (ROA) fie Exit Assist (SEA) mild Restraint Anchor Points (ISOFIX) mobilizer		with Sensor  2nd Row (x 2) with Anti-Theft  with Junction Turning

### Prima Maju Auto / Dinamikjaya Motors

22062022V11

Importer: Prima Maju Auto Sdn Bhd (202101010112) (1410411-X) Sole Distributor: Dinamikjaya Motors Sdn Bhd (202001014214) (1370534-A) No.1, Jalan Pelukis, U1/46, Temasya Industrial Park, Seksyen U1, 40150 Shah Alam, Selangor, Malaysia.

Website: www.kia.com/my

FB: Kia Malaysia

Kia Customer Support: 03-7627 3222



